MEASURING TEMPORAL PHOTON BUNCHING IN BLACKBODY RADIATION

P. K. $\mathrm{Tan}^{1,2,*},$ G. H. $\mathrm{Yeo}^2,$ H. S. $\mathrm{Poh}^1,$ A. H. $\mathrm{Chan}^2,$ C. $\mathrm{Kurtsiefer}^{1,2,+}$

Draft version October 9, 2015

ABSTRACT

Light from thermal black body radiators such as stars exhibits photon bunching behaviour at sufficiently short time-scales. However, with available detector bandwidths, this bunching signal is difficult observe directly. We present an experimental technique to increase the photon bunching signal in blackbody radiation via spectral filtering of the light source. Our measurements reveal strong temporal photon bunching from blackbody radiation, including the Sun. This technique allows for an absolute measurement of the photon bunching signature $g^{(2)}(0)$, and thereby a direct statement on the statistical nature of a light source. Such filtering techniques may help revive the interest in intensity interferometry as a tool in astronomy.

Subject headings: instrumentation: interferometers — radiation mechanisms: thermal — stars: fundamental parameters — Sun: fundamental parameters — techniques: interferometric

1. BACKGROUND

Statistical intensity fluctuations from stationary thermal light sources formed the basis of the landmark experiments by ??, where correlation measurements between a pair of photodetection signals were used to assess both temporal and spatial coherence properties of light fields. The explanation for these fluctuations as photon bunching phenomenon, as compared to a Poissonian distribution for uncorrelated detection processes, was a major contribution for the development of the field of quantum optics (?)

?? developed their observation into a spatial intensity interferometer which allowed them to infer stellar angular radii from the spatial coherence properties of starlight over relatively large distances of 188 m. Since a key quality of any telescope system is its angular resolution, given by its real or virtual aperture, they managed to carry out these measurements with an unprecedented accuracy. Yet, the comparatively simple optical intensity interferometry technique has not found widespread adoption in the observation of celestial objects due to a relatively small signal-to-noise ratio (SNR) in measuring the spatial decay of the photon bunching signature (??).

Typically, the photon bunching signature is observed in a regime where the ratio of the coherence time, τ_c , over the photodetector resolution, τ_t , is significantly smaller than 1, even after an increase of the coherence time via optical filtering. In such a regime, the temporal coherence properties cannot be resolved directly, and the SNR in observing photon bunching is independent of the filter bandwidth (?????).

However, the temporal coherence properties may contain interesting information about the celestial light source, and help e.g. to assess the spectra of Wolf-Rayet stars (???) like Eta Carinae, with suspected laser emission lines estimated to be $\approx 50 \text{ MHz}$ or less (?) which are

 2 Department of Physics, National University of Singapore, 2 Science Drive 3, Singapore 117551

^{*}email: pengkian@physics.org

 $^+$ email: phyck@nus.edu.sg

too narrow to resolve by conventional spectroscopy. To understand the nature of the light of these very narrow spectral features, the suppression of a wide blackbody radiation background would be helpful.

Furthermore, in the regime of $\tau_c/\tau_t > 1$, one is also able to resolve the thermal character explicitly, and to test for the thermal photon bunching signature of $g^{(2)}(0) = 2$. This permits the distinction between thermal and laser emission mechanisms for the discrete spectral components of Wolf-Rayet stars.

2. THE PROBLEM

Temporal photon bunching, i.e., the tendency for photons to cluster together on a short time-scale, has been consistently observed from narrow-band quasi-thermal light sources such as low pressure glow discharge lamps (??), and laser beams (?) which are passed through a rotating ground glass to randomize the optical phase in time.

Photon bunching in time for stationary fields is quantified by a second order correlation function $g^{(2)}(\tau)$, which is the probability of observing a second photodetection event at a time τ after a first one, normalized to the probability of an uncorrelated detection. Optical modes in thermal states are the textbook example where $g^{(2)} = 2$ (???). Blackbody radiation would therefore be the obvious choice for observing photon bunching, if it were not for the short coherence time associated with its spectral properties.

In a scenario where spatial coherence effects are neglected, the second order temporal correlation function for light fields can be written as

$$g^{(2)}(\tau) = 1 + |\gamma(\tau)|^2 , \qquad (1)$$

where $\gamma(\tau)$ is the complex degree of coherence, or normalized self-coherence of the stationary light field with $\gamma(0) = 1$, which itself is proportional to the Fourier transform of the spectral density $S(\nu)$ of the light field (?). For well-defined spectral densities and coherence functions, a meaningful coherence time τ_c can be defined, which is reciprocal to a characteristic width $\Delta \nu$ of the spectral distribution $S(\nu)$.

 $^{^1}$ Center for Quantum Technologies, 3 Science Drive 2, Singapore 117543

For blackbody light sources in the optical regime, the coherence time τ_c given by Planck's law is on the order of 10^{-14} s, which is much shorter than the best timing resolution τ_t of a few 10^{-11} s for existing photodetectors. As shown by ?, the observable excess from uncorrelated pair detections, $g^{(2)}(\tau = 0) - 1$, scales as τ_c/τ_t and is thus only significant when the coherence time of the source is of the order of the detection timing response.

Therefore, empirical observation of temporal photon bunching from blackbody light sources has been extremely difficult, with only recent breakthroughs using two-photon absorption in semiconductors (?), and in ghost imaging research using a narrowband Faraday anomalous dispersion optical filter (??).

In this paper, we present a spectral filtering technique that significantly increases the observed temporal photon bunching signature from a blackbody light source.

3. EXPERIMENT

As with previous attempts to observe photon bunching from blackbody radiation (??), we employ narrow-band optical filtering of the light source in order to increase the coherence time τ_c , and use single photon detectors with low timing uncertainties. The experimental setup is shown in Fig. ??.




FIG. 1.— Setup to determine the temporal correlation $g^{(2)}(\tau)$ for wide-band thermal light. The initial spectrum gets filtered to a narrow optical bandwidth such that the temporal decay of the second order correlation function can be observed with conventional single photon detectors in a Hanbury-Brown–Twiss experiment. We employ a combination of a grating and a temperature-tuned etalon as a spectral filter, and ensure spatial coherence in the setup by using single mode optical fibers (SMF).

Firstly, light from different sources under investigation is coupled into a single mode optical fiber to enforce spatial coherence, because the photon bunching signature $g^{(2)}(\tau = 0) - 1 \propto 1/M$, where M is the number of transverse modes (?).

The light is then collimated with an aspheric lens and sent through the first spectral filter, which is either an interferometric bandpass filter with a full width at half maximum (FWHM) of 3 nm centered at 546.1 nm to match the $6p7s^{3}S_{1} - 6p6s^{3}P_{2}^{0}$ transition in a Mercury (Hg) discharge lamp, or a grating monochromator for broadband continuous spectrum. While the interference filter is sufficient to select the spectral lines of the different mercury isotopes, the grating monochromator had to be used for the blackbody sources.

The core of the monochromator is a blazed reflective diffraction grating with 1200 lines/mm mounted on a rotation stage. Light from the optical fiber with a numeri-




FIG. 2.— (Top) Transmission profile of grating monochromator. The solid line is a fit to a Gaussian profile to measurements for different grating angles (symbols), resulting in a full width at half maximum (FWHM) of 0.122 ± 0.002 nm. (Bottom) Transmission of Hg light near 546 nm through the temperature-tuned etalon with 2 GHz bandwidth. The hyperfine structure for different isotopes is partially resolved, as identified in (?).

cal aperture NA = 0.13 is collimated with an achromatic doublet (f = 30 mm), illuminating about 10^4 lines of the grating. The first diffraction order is imaged with another achromat of (f = 30 mm) into another single mode optical fiber. This arrangement acts as a tunable narrow-band filter in the visible regime, allowing to adjust for peak emissions of blackbody light sources. A test of the transmission of a narrowband laser source ($\lambda =$ 532 nm) is shown in Fig. ?? (top part). The fit to a Gaussian transmission profile leads to an optical bandwidth of $0.122\pm0.002 \text{ nm}$ (FWHM). We typically observe a transmission of narrowband light from single mode fiber to single mode fiber of $\approx 15\%$.

In a second step, the light passed through a solid etalon (thickness d=0.5 mm) with flat surfaces. The etalon has a free spectral range of FSR = c/(2nd) = 205 GHz, with a refractive index n = 1.46 for fused silica (Suprasil311), and the speed of light c in vacuum. At $\lambda = 546 \text{ nm}$, the free spectral range corresponds to $\Delta \lambda = \lambda^2/c \cdot FSR \approx$ 0.2 nm, so that only one transmission order should fall within the monochromator transmission width. Both surfaces of the etalon have dielectric coatings with a reflectivity of $R \approx 97\%$ over a wavelength range from 390 nm to 810 nm, resulting in a transmission bandwidth (FWHM) (?) of

$$\Delta \nu \approx FSR \cdot \frac{1-R}{\pi\sqrt{R}} \approx 2 \,\mathrm{GHz}\,.$$
 (2)

The central etalon transmission frequency is tuned by temperature, with a scaling of $-4.1 \,\text{GHz/K}$ due to thermal expansion and temperature dependence of the refractive index. A temperature stability of $\pm 5 \,\text{mK}$ over

the measurement duration of several hours ensures that the etalon stays on a specific wavelength. Temperature tuning allows the etalon to be always used under normal incidence, which avoids frequency walk-off (?) and spatial distortion (?). To demonstrate the resolving power of this device, we tuned the peak transmission across the various spectral lines from a Hg gas discharge lamp at 546.1 nm, revealing a partially resolved hyperfine structure for different isotopes (see Fig. ??, bottom part).

A Glan-Taylor polarizer (PBS) following the etalon selects a well-defined linear polarization mode, with the same rationale of minimizing the number of modes ending up in the temporal correlation setup. A half-wave plate $(\lambda/2)$ transforms the polarization emerging from the grating/fiber combination such that there is maximal transmission through the PBS.

A second Glan-Taylor polarizer, rotated by $\approx 45^{\circ}$ with respect to the polarization direction of the first, distributes the light onto two silicon avalanche photodetectors (APD) that provide detection timing signals to a correlator. The relative orientation of the two polarizers allows for the balancing of the photodetection rates to optimize the integration time, and also helps to suppress the optical crosstalk between the two APDs due to hot carrier recombination in the devices upon detection which would otherwise introduce false coincidence events (?).

The temporal correlation was carried out with a digital sampling oscilloscope (4 GHz analog bandwidth, 40 Gsamples/sec, LeCroy) that recorded the APD signals if two detection events fall within a coarse coincidence time window of 20 ns. The oscilloscope then evaluated the timing difference τ between the APD events with an uncertainty below 10 ps, and generated a histogram of all observed τ . The temporal correlation function $g^{(2)}(\tau)$ is just a normalized version of this histogram.




FIG. 3.— Comparison of timing jitter between two actively quenched thin avalanche photodiodes (PDF), and two passively quenched deep avalanche photodiodes (C90302S) by photon pair detection from light generated by spontaneous parametric down conversion (SPDC) with a coherence time below 10 ps.

To assess the overall timing uncertainty with the detector/correlator combination, we exposed two different avalanche photodetector sets to photon pairs generated by spontaneous parametric down conversion (SPDC) with a coherence time below 10 ps. The resulting tempo-




FIG. 4.— Spectrum of a Hg glow discharge lamp, an Ar arc lamp as a simulator of a stellar light source, and the Sun.

ral correlations shown in Fig. ?? reflect the overall timing resolution of the system. For APDs with a deep conversion zone (C30902S, Perkin-Elmer, passive quenching), the coincidence distribution appears roughly Gaussian, with 1.2 ns FWHM. Since the photon bunching signature $g^{(2)}(\tau)$ of the light field under investigation needs to be convolved with this detector response, we would observe a significant reduction of the photon bunching peak with these detectors. A second set of APDs, based on thin conversion zones (type PDF, Micro Photon Devices, active quenching), leads to a much better localized coincidence distribution with 40 ps FWHM, although a significant fraction of the distribution shows a tail with timing differences up to 500 ps.

4. RESULTS

Measurements for $g^{(2)}(\tau)$ using the high bandwidth (type PDF) photon detectors were performed on three light sources: a low pressure Mercury (Hg) discharge lamp as a quasi-thermal light source, a radio frequencydriven Argon (Ar) arc discharge lamp to produce a plasma with a blackbody temperature ≈ 6000 K as the thermal light source, and the Sun as a celestial thermal light source. Their respective spectral distributions are shown in Fig. ??. The optical filters were fixed to maximize transmission for the spectral lines around 546.1 nm in the Hg spectrum. The resulting timing difference histograms are shown in Fig. ??.

To ensure proper normalization of the resulting $g^{(2)}(\tau)$, we independently recorded pair events with a resolution of about 300 ps with a time stamp unit that, unlike the oscilloscope, does not exhibit a significant dead time varying with acquisition mode and event rate, and found that $g^{(2)}(|\tau| \ge 2 \text{ ns}) \to 1$. To extract a meaningful set of model parameters, we assumed a Lorentzian line shape for the spectral power distribution; this is mostly to reflect the approximate etalon transmission function. A corresponding model function for the obtained pair rates in the histograms is

$$N(\tau) = a + b \cdot e^{-|2\tau/\tau_c|} \tag{3}$$

where a, b capture the absolute event number and the degree of bunching, respectively, while τ_c represents a coherence time. The $g^{(2)}$ scale on the right side of dia-




FIG. 5.— Intensity correlation function $g^{(2)}(\tau)$ from the three thermal light sources after spectral filtering. All light sources show a significant bunching at $\tau = 0$, and a decay time that is well-resolved with the avalanche photodetectors. Error bars indicate uncertainties due to Poissonian counting statistics.

grams in Fig. ?? refers to the absolute number of events after division by fit parameter a.

For the Hg emission line at 546 nm from the low pressure glow discharge lamp, coincidence data was obtained over an integration time of 68 hours, with single detector rates of $115000 \,\mathrm{s}^{-1}$. From the numerical fit, we find $q^{(2)}(\tau = 0) = 1.795 \pm 0.006$ and an exponential decay with a characteristic coherence time of $\tau_c =$ 0.436 ± 0.006 ns. A convolution of an ideal correlation function from a finite-bandwidth thermal light source (where $g^{(2)}(\tau = 0) = 2$) with the detector response recorded in figure ?? leads to $g^{(2)}(\tau = 0) = 1.85$. Thus, the mercury lamp seems perfectly compatible with a thermal light source. The Doppler-broadened line width for individual transitions in Hg vapour at temperatures around 400 K is on the order of 235 MHz, but the contributions of different hyperfine transitions from different isotopes result in a complex overall line shape of several GHz width (see figure ??b). The part of the spectrum we select with the etalon has a resultant coherence time that is slightly longer than what we would expect from a flat spectrum filtered by the etalon ($\tau_c \approx 0.34 \,\mathrm{ns}$).

For the Ar arc discharge lamp, a wavelength of 540 nm was chosen to avoid contributions of a prominent peak at 546 nm, possibly caused by mercury traces in the plasma. We find that $g^{(2)}(0) = 1.45 \pm 0.01$ and a shorter coher-

ence time $\tau_c = 0.31 \pm 0.01$ ns with $\chi_r^2 = 1.066$. The wider spectrum of the cut-out blackbody radiation makes the decay time shorter, so a peak reduction due to the detector response becomes more prominent. Furthermore, residual transmission of the grating monochromator or stray light into other transmission peaks of the etalon may contribute to light that is incoherent with the main peak on observable time-scales.

For an etalon of R $\approx 97\%$ and so an effective finesse of about 100, we expect a minimum transmission of $\approx 0.1\%$ over the whole grating transmission of $\approx 240\,{\rm GHz}$ (for 2 FWHMs). The etalon also has a less-than-ideal peak transmission of approximately 50%. The off-peak transmission of the etalon effectively serves as an additional incoherent light source that adds about 24% more photons than a singly-peaked transmission with exponential decay. These additional random correlations further reduce the measured $g^{(2)}(\tau=0)$ from 1.8 due to the detector resolution down to ≈ 1.5 , which is in good agreement with the value of 1.45 measured for the Ar arc lamp.

We finally collected sunlight into a single mode optical fiber with a coelostat and transferred it into the lab. At the same working wavelength of 546.1 nm, we find $g^{(2)}(0) = 1.37 \pm 0.03$ and a coherence time $\tau_c = 0.32 \pm 0.04$ ns, with $\chi_r^2 = 0.985$ over an integration time of 85 minutes, measuring the sun near the zenith at an altitude of 77° to 64°. From an altitude of 32° to 21° close to the horizon, we find $g^{(2)}(0) = 1.3 \pm 0.1$, $\tau_c = 0.26 \pm 0.05$ ns, with $\chi_r^2 = 1.024$ over 45 minutes. This apparent dependency of the measured visibility of the photon bunching on the altitude of the Sun is possibly due to seeing-induced atmospheric fluctuations in optical path length differences (?), where studies by ??? suggest that atmospheric turbulence and scintillation may introduce jitter in photon timing measurements and is strongly dependent on the altitude of the light source.

5. SUMMARY AND OUTLOOK

We have successfully developed and demonstrated an experimental technique to resolve the temporal structure of photon bunching from thermal blackbody light sources, including both discrete spectrum and blackbody spectrum such as the Sun. We observed a photon bunching signature, i.e., the excess of $g^{(2)}(0)$ above 1, that exceeds the recently reported records of $g^{(2)}(0) = 1.03$ (?) and $g^{(2)}(0) = 1.04$ (?) by about an order of magnitude.

Compared to photon bunching observations using twophoton absorption (?), our method would work at astronomical intensity levels, and not be constrained to cases with the simultaneous arrivals of two photons at the same detector.

We believe that with better timing control of the photodetectors and a better match of the etalon with the grating monochromator as a first stage, it should be possible to reach the theoretical limit $g^{(2)}(0) = 2$ for blackbody radiators.

The ability to partially resolve temporal photon bunching information directly may allow for additional probing into the emission properties of light sources, and extend the traditional scope of intensity interferometry of investigating the spatial coherence of a source. Even there, our filtering technique may help to address detector saturation and scintillation issues.

This filtering technique may also be used to measure the visibility of starlight at various redshifts, providing information on possible photon decoherence across extended distances unaccessible in Earth-based laboratory conditions. Such experiments may provide complementary observational evidence that help to set constraints in theoretical models of quantum gravity (????).

We like to thank the referee for his helpful comments on the earlier version of this paper. We acknowledge the support of this work by the National Research Foundation and the Ministry of Education in Singapore.

REFERENCES

- Asakura, T. 1970, Opto-electronics, 2, 115
- Blazej, J., Prochazka, I., & Kral, L. 2008, Proc. SPIE, 7152, doi:10.1117/12.808548
- Boitier, F., Godard, A., Rosencher, E., & Fabre, C. 2009, Nature Physics, 5, 267
- Castor, J. I., & Nussbaumer, H. 1972, MNRAS, 155, 293
- Davis, J., Tango, W. J., Booth, A. J., et al. 1999, MNRAS, 303, 773
- Dravins, D. 2007, High Time Resolution Astrophysics,
- Astrophysics and Space Science Library (Springer)
- Dravins, D., & Germanà, C. 2008, in The Universe at sub-second timescales, ed. D. Phelan, O. Ryan, & A. Shearer, AIP
- Foellmi, C. 2009, A&A, 507, 1719, eSO
- Fox, M. 2006, Quantum Optics: An Introduction (Oxford University Press)
- Glauber, R. 1963, Phys. Rev., 131, 2766
- Green, J. M. 1980, J. Phys. E: Sci. Instrum., 13, 1302, iOP
- Hanbury-Brown, R. 1974, The intensity interferometer: its application to astronomy (London : Taylor & Francis ; New York : Halsted Press), 184
- Hanbury-Brown, R., Davis, J., & Allen, L. R. 1974, MNRAS, 167, 121
- Hanbury-Brown, R., & Twiss, R. Q. 1954, Phil. Mag., 45, 663 -. 1956, Nature, 178, 1046
- . 1957, Proc. Roy. Soc., A242, 300
- Karmakar, S., Meyers, R., & Shih, Y. 2012, Proc. SPIE, 8518, doi:10.1117/12.929157
- Kral, L., Prochazka, I., Blazej, J., & Hamal, K. 2004, Proc. SPIE, $5240, \, doi: 10.1117/12.511203$

- Kurtsiefer, C., Zarda, P., Mayer, S., & Weinfurter, H. 2001, J. Mod. Opt., 48(13), 2039
- Lieu, R., & Hillman, L. W. 2003, ApJ, 585, L77
- Liu, X.-F., Chen, X.-H., Yao, X.-R., et al. 2014, Optics Letters, 39, 2314
- Malvimat, V., Wucknitz, O., & Saha, P. 2013, MNRAS
- Mandel, L., & Wolf, E. 1995, Optical Coherence and Quantum Optics (Cambridge University Press)
- Martienssen, W., & Spiller, E. 1964, American Journal of Physics, 32, doi:10.1119/1.1970023
- Maziashvili, M. 2009, Astroparticle Physics, 31, 344
- Millour, F. 2008, New Astronomy Reviews, 52, 177
- Morgan, B. L., & Mandel, L. 1966, Physical Review Letters, 16, 1012
- Ng, Y. J., Christiansen, W. A., & van Dam, H. 2003, ApJ, 591, L87
- Nuñez, P. D. 2012, Master's thesis, University of Utah
- Ortolani, S. C. S., & Barbieri, C. 2012, MNRAS, 419, 2349 Park, S., Ko, H., & Park, M.-H. 2005, Optical Engineering, 44(4), 048001
- Ragazzoni, R., Turatto, M., & Gaessler, W. 2003, ApJ, 587, L1
- Rou, J., Nunez, P. D., Kieda, D., & LeBohec, S. 2012, MNRAS, 000.1
- Saleh, B. E. A., & Teich, M. C. 2007, Fundamentals of Photonics (John Wiley & Sons)
- Sansonetti, C. J., & Veza, D. 2010, J. Phys. B: At. Mol. Opt. Phys., 43, 205003
- Scarl, D. B. 1968, Phys.Rev, 175, 1661, issue 5
- van der Hucht, K. A. 2001, New Astronomy Reviews, 45, 135
- Varshni, Y. P., & Nasser, R. M. 1986, Astrophysics and Space Science, 125, 341